

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Lithium Molybdate In Aqueous Solution
CHEMICAL FAMILY: Molybdates
MOLECULAR FORMULA: Li_2MoO_4
SYNONYM(s): Molybdic Acid, Dilithium Salt, Lithium Molybdenum Oxide
GENERAL USE: Industrial Manufacturing

MANUFACTURER
FMC CORPORATION
Lithium Division
P.O. Box 795
Bessemer City, NC 28016-0795
General Information: (704) 868-5300

Emergency Telephone Numbers:
CHEMTREC (800) 424-9300
Emergency Phone (704) 629-5361 (Plant) Call Collect 24 Hr/Day
Emergency Phone (303) 595-9048 (Medical) Call Collect

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt. %</u>
Lithium molybdate	13568-40-6	30 - 40
Water	7732-18-5	60 - 70

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Odorless, clear liquid.
POTENTIAL HEALTH EFFECTS: Exposure to large amounts of molybdenum may irritate the upper respiratory tract and damage the liver, spleen and kidneys.

COMMENTS:
(See Section 11, Toxicological Information)

4. FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. If irritation occurs and persists, contact a medical doctor.

SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

INGESTION: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with a finger or by giving syrup of ipecac. Never induce vomiting or give anything by mouth to an unconscious person. Contact a medical doctor.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

NOTES TO MEDICAL DOCTOR:
This product is anticipated to have low oral toxicity and may be irritating to eyes, skin and mucous membranes. Treatment is symptomatic and supportive.

5. FIRE FIGHTING MEASURES

FLAMMABLE LIMITS: Upper: Not available Lower: Not available.
GENERAL HAZARD: No known physical hazard, non-combustible.
EXTINGUISHING MEDIA: Dry chemical, CO2, water spray or regular foam.
HAZARDOUS COMBUSTION PRODUCTS: None
FIRE FIGHTING PROCEDURES: Wear full protective clothing and self-contained breathing apparatus (SCBA) approved for fire fighting. This is necessary to protect against the hazards of heat, products of combustion and oxygen deficiency. Do not breathe smoke, gases or vapors generated.
AUTOIGNITION TEMPERATURE: Not applicable
PROPERTIES CONTRIBUTING TO FLAMMABILITY: None
FLASH POINT: Not applicable
SENSITIVITY TO STATIC DISCHARGE: Not applicable
SENSITIVITY TO IMPACT: Not applicable

COMMENTS:
(See Section 10, Stability and Reactivity)

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Contain spill with absorbent. Transfer or pump into a suitable container. Dispose of waste according to local and Federal laws and regulations. Before cleanup measures begin, review the entire MSDS with particular attention to Section 3, Emergency Overview and Potential Health Effects; and Section 8, Recommended Personal Protective Equipment.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes, skin or clothing. Avoid breathing mist. Use with adequate ventilation. Wear safety glasses or goggles and rubber gloves. Wash thoroughly after handling.
STORAGE: Keep away from strong acids. Keep container closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

<u>Chemical Name</u>	<u>TWA (ACGIH)</u>	<u>STEL/Ceiling (ACGIH)</u>	<u>PEL (OSHA)</u>	<u>STEL/Ceiling (OSHA)</u>
Molybdenum, soluble compounds [as Mo]	5 mg/m ³		5 mg/m ³	

ENGINEERING CONTROLS:
Use local exhaust ventilation to keep airborne concentrations below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eyes And Face: Safety glasses or goggles
Respiratory: If product is misting or when engineering controls are not adequate, wear a NIOSH/MSHA respirator approved for inorganic dusts and mists.
Protective Clothing: Rubber gloves
Work Hygienic Practices: Quick-drench eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>ODOR:</u>	Odorless
<u>APPEARANCE:</u>	Clear liquid
<u>pH:</u>	7 to 7.5
<u>PERCENT VOLATILE:</u>	Not applicable
<u>VAPOR PRESSURE:</u>	Not applicable
<u>VAPOR DENSITY:</u>	Not applicable
<u>BOILING POINT:</u>	A 30% aqueous solution boils at 102°C
<u>MELTING POINT:</u>	Not available
<u>SOLUBILITY IN WATER:</u>	Miscible in any proportion
<u>EVAPORATION RATE(Butyl Acetate = 1):</u>	Not applicable
<u>SPECIFIC GRAVITY:</u>	Not available
<u>MOLECULAR WEIGHT:</u>	173.82 (Lithium molybdate)
<u>COEFF. OIL/WATER:</u>	Not applicable
<u>ODOR THRESHOLD:</u>	Not applicable
<u>FLAMMABLE LIMITS:</u>	Upper: Not available Lower: Not available.
<u>FLASH POINT:</u>	Not applicable
<u>AUTOIGNITION TEMPERATURE:</u>	Not applicable
<u>EXPLOSIVE PROPERTIES:</u>	Not explosive
<u>OXIDIZING PROPERTIES:</u>	Not an oxidizer

10. STABILITY AND REACTIVITY

<u>CONDITIONS TO AVOID:</u>	None
<u>STABILITY:</u>	Stable
<u>POLYMERIZATION:</u>	Will not occur
<u>HAZARDOUS DECOMPOSITION PRODUCTS:</u>	None
<u>INCOMPATIBLE MATERIALS:</u>	None

11. TOXICOLOGICAL INFORMATION

<u>Eye Contact:</u>	No data available for the product.	
<u>Skin Contact:</u>	No data available for the product.	
	Lithium molybdate:	
	Non-corrosive, Corrositex In-Vitro Skin Corrosion	[FMC LD 16557]
<u>Skin Absorption:</u>	No data available for the product.	
<u>Ingestion:</u>	No data available for the product.	
<u>Inhalation:</u>	No data available for the product.	

Acute Effects From Overexposure:

No data available for the product.

Chronic Effects From Overexposure:

No data available for the product.

Sensitization: No

<u>Carcinogenicity:</u>	EH40: Not listed. IARC: Not listed. NTP: Not listed. OSHA: Not considered a carcinogen under OSHA. ACGIH: Not listed
<u>Mutagenicity:</u>	No
<u>Reproductive Toxicity:</u>	No

12. ECOLOGICAL INFORMATION

Ecotoxicological Information:

Environmental toxicity testing of the product has not been carried out. Environmental toxicity testing of the product has not been carried out. Data for a similar substance, sodium molybdate, is provided below:

Sodium Molybdate:

96 hr. LC₅₀ = 7600 mg/l (fish)

48 hr. EC₅₀ = 330 mg/l (daphnids)

72 hr. IC₅₀ >100 (algal growth)

Chemical Fate Information:

Lithium molybdate exists as the inorganic ions of lithium and molybdenum in aqueous solutions. Lithium molybdate is not biodegraded, bioaccumulated or photodegraded.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of waste according to local and Federal laws and regulations.

14. TRANSPORT INFORMATION

<u>PROPER SHIPPING NAME:</u>	None
<u>CLASSIFICATION:</u>	None
<u>LABELS:</u>	None
<u>UN NUMBER:</u>	None
<u>PACKING GROUP:</u>	None
<u>FLASH POINT:</u>	Not applicable
<u>CUSTOM TARIFF NO:</u>	2841.70.0000
<u>MARINE POLLUTANT:</u>	No
<u>PIH:</u>	Not designated Poison Inhalation Hazard by US DOT.

15. REGULATORY INFORMATION

UNITED STATES

SECTION 311 HAZARD CATEGORY (40 CFR 370):

Immediate (Acute) Health Hazard

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):

This product does not contain a toxic chemical subject to the reporting requirements of Section 313 of Emergency Planning and Community Right-To-Know Act of 1986.

SECTION 302 EXTREMELY HAZARDOUS

SUBSTANCES (40 CFR 355):

Not listed

CERCLA HAZARDOUS SUBSTANCE (40 CFR

Not listed

302.4):

TSCA SEC 12B EXPORT NOTIFICATION:

This product is not subject to TSCA 12 (b) Export
Notification Requirements.
Listed

TSCA INVENTORY STATUS (40 CFR 710):

**CANADA
WHMIS:**

Product Identification No.: None
Hazard Classification: None
Ingredient Disclosure List: Not listed

16. OTHER INFORMATION

REVISION SUMMARY: Revision # 6: Regular review completed.

NFPA RATING

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
SPECIAL: None

This MSDS has been prepared to meet U. S. OSHA Hazard Communication Standard, 29 CFR 1910.1200 and
Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

type 1a

Copyright 2011. FMC Corporation, Lithium Division. All Rights Reserved. FMC Lithium and the FMC Lithium logo
are trademarks of FMC Corporation.